



TYROBP gene

TYRO protein tyrosine kinase binding protein

Normal Function

The *TYROBP* gene (also known as the *DAP12* gene) provides instructions for making a protein called the TYRO protein tyrosine kinase binding protein. This protein is found in a variety of cells produced in bone marrow (myeloid cells) and other immune system cells (lymphoid cells). The protein is located on the cell surface, where it helps transmit chemical signals that activate the cell.

The TYROBP protein interacts with several other proteins on the surface of cells. For example, it forms a complex with the protein produced from the *TREM2* gene. The TYROBP protein and its partners were first identified in the immune system, where they activate certain cells (such as natural killer cells and dendritic cells) that trigger an inflammatory response to injury or disease.

The TYROBP-TREM2 complex also activates cells in the skeletal system and in the brain and spinal cord (central nervous system). In the skeletal system, the complex is found in osteoclasts, which are specialized cells that break down and remove (resorb) bone tissue that is no longer needed. These cells are involved in bone remodeling, which is a normal process that replaces old bone tissue with new bone. In the central nervous system, the complex appears to play an important role in immune cells called microglia. These cells protect the brain and spinal cord from foreign invaders and remove dead nerve cells and other debris. Although the TYROBP-TREM2 complex plays a critical role in osteoclasts and microglia, its exact function in these cells is unclear.

Health Conditions Related to Genetic Changes

polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy

At least six mutations in the *TYROBP* gene have been identified in people with polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy (commonly known as PLOSL). One *TYROBP* mutation has been found to cause PLOSL in all affected people of Finnish ancestry. This mutation deletes a significant portion of the *TYROBP* gene, which prevents the cell from producing any protein from this gene. Mutations in other populations result in the production of an abnormally short, nonfunctional version of the protein or prevent the protein from reaching the cell surface.


Researchers believe that the signs and symptoms of PLOSL are related to defective TYROBP-TREM2 signaling in osteoclasts and microglia. The bone abnormalities

seen with this disorder are probably related to malfunctioning osteoclasts, which are less able to resorb bone tissue during bone remodeling. In the central nervous system, defective signaling through the TYROBP-TREM2 complex causes widespread abnormalities of microglia. Researchers are working to determine how these abnormalities lead to the neurological problems associated with PLOSL.

Chromosomal Location

Cytogenetic Location: 19q13.12, which is the long (q) arm of chromosome 19 at position 13.12

Molecular Location: base pairs 35,904,401 to 35,908,309 on chromosome 19 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- DAP12
- DNAX-activation protein 12
- KAR-associated protein
- KARAP
- killer activating receptor associated protein
- TYOBP_HUMAN

Additional Information & Resources

Educational Resources

- Basic Neurochemistry (sixth edition, 1998): The microglial cell plays a role in phagocytosis and inflammatory responses
<https://www.ncbi.nlm.nih.gov/books/NBK28217/#A37>
- Molecular Biology of the Cell (fourth edition, 2002): Bone is continually remodeled by the cells within it
<https://www.ncbi.nlm.nih.gov/books/NBK26889/#A4187>

GeneReviews

- Polycystic Lipomembranous Osteodysplasia with Sclerosing Leukoencephalopathy (PLOSL)
<https://www.ncbi.nlm.nih.gov/books/NBK1197>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28TYROBP%5BTIAB%5D%29+OR+%28TYRO+protein+tyrosine+kinase+binding+protein%5BTIAB%5D%29%29+OR+%28DAP12%5BTIAB%5D%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+2880+days%22%5Bdp%5D>

OMIM

- TYRO PROTEIN TYROSINE KINASE-BINDING PROTEIN
<http://omim.org/entry/604142>

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology
http://atlasgeneticsoncology.org/Genes/GC_TYROBP.html
- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=TYROBP%5Bgene%5D>
- HGNC Gene Symbol Report
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=12449
- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/7305>
- UniProt
<http://www.uniprot.org/uniprot/O43914>

Sources for This Summary

- Bouchon A, Hernández-Munain C, Cella M, Colonna M. A DAP12-mediated pathway regulates expression of CC chemokine receptor 7 and maturation of human dendritic cells. *J Exp Med*. 2001 Oct 15;194(8):1111-22.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11602640>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2193511/>
- GeneReview: Polycystic Lipomembranous Osteodysplasia with Sclerosing Leukoencephalopathy (PLOSL)
<https://www.ncbi.nlm.nih.gov/books/NBK1197>

- Humphrey MB, Ogasawara K, Yao W, Spusta SC, Daws MR, Lane NE, Lanier LL, Nakamura MC. The signaling adapter protein DAP12 regulates multinucleation during osteoclast development. *J Bone Miner Res*. 2004 Feb;19(2):224-34. Epub 2003 Dec 16.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/14969392>
- Kiialainen A, Hovanes K, Paloneva J, Kopra O, Peltonen L. Dap12 and Trem2, molecules involved in innate immunity and neurodegeneration, are co-expressed in the CNS. *Neurobiol Dis*. 2005 Mar; 18(2):314-22.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15686960>
- Kiialainen A, Veckman V, Saharinen J, Paloneva J, Gentile M, Hakola P, Hemelsoet D, Ridha B, Kopra O, Julkunen I, Peltonen L. Transcript profiles of dendritic cells of PLOSL patients link demyelinating CNS disorders with abnormalities in pathways of actin bundling and immune response. *J Mol Med (Berl)*. 2007 Sep;85(9):971-83. Epub 2007 May 26.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17530208>
- Klünemann HH, Ridha BH, Magy L, Wherrett JR, Hemelsoet DM, Keen RW, De Bleecker JL, Rossor MN, Marienhagen J, Klein HE, Peltonen L, Paloneva J. The genetic causes of basal ganglia calcification, dementia, and bone cysts: DAP12 and TREM2. *Neurology*. 2005 May 10;64(9):1502-7.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15883308>
- Lanier LL, Corliss BC, Wu J, Leong C, Phillips JH. Immunoreceptor DAP12 bearing a tyrosine-based activation motif is involved in activating NK cells. *Nature*. 1998 Feb 12;391(6668):703-7.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/9490415>
- Paloneva J, Kestilä M, Wu J, Salminen A, Böhlting T, Ruotsalainen V, Hakola P, Bakker AB, Phillips JH, Pekkarinen P, Lanier LL, Timonen T, Peltonen L. Loss-of-function mutations in TYROBP (DAP12) result in a presenile dementia with bone cysts. *Nat Genet*. 2000 Jul;25(3):357-61.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/10888890>
- Paloneva J, Mandelin J, Kiialainen A, Böhlting T, Prudlo J, Hakola P, Haltia M, Kontinen YT, Peltonen L. DAP12/TREM2 deficiency results in impaired osteoclast differentiation and osteoporotic features. *J Exp Med*. 2003 Aug 18;198(4):669-75.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12925681>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2194176/>
- Paloneva J, Manninen T, Christman G, Hovanes K, Mandelin J, Adolfsson R, Bianchin M, Bird T, Miranda R, Salmaggi A, Tranebjaerg L, Kontinen Y, Peltonen L. Mutations in two genes encoding different subunits of a receptor signaling complex result in an identical disease phenotype. *Am J Hum Genet*. 2002 Sep;71(3):656-62. Epub 2002 Jun 21. Erratum in: *Am J Hum Genet*. 2003 Jan; 72(1):225..
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12080485>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC379202/>
- Takaki R, Watson SR, Lanier LL. DAP12: an adapter protein with dual functionality. *Immunol Rev*. 2006 Dec;214:118-29. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17100880>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/gene/TYROBP>

Reviewed: November 2008
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services